

MSDS Date:

04/05/1999

MSDS Num:

CKTLQ

Submitter:

F BT

Tech Review:

09/28/2000

Status CD:

A

Product ID:

1010 WATER SEAL WATERPROOFER

MFN:

01

Article:

N

Kit Part:

N

Cage:

Responsible Party

TO754

Name:

THE THOMPSON'S COMPANY

Address:

10136 MAGNOLIA DR

City:

OLIVE BRANCH

State:

MS

Zip:

38654

Country:

US

Info Phone Number:

216-566-2902

Emergency Phone Number:

216-566-2917

Radioactive Ind:

N

Proprietary Ind:

N

Review Ind: Y

Published: Y

Special Project CD:

Summary

Cage:

TO754

Name:

THE THOMPSON'S COMPANY

Address:

10136 MAGNOLIA DR

City:

OLIVE BRANCH

State:

MS

Zip:

38654

Country:

US

Phone:

216-566-2902

Ingredients

Cas: 64742-88-7

T

X

Code: RTECS #: Code:
Name: MEDIUM ALIPHATIC HYDROCARBON SOLVENT

Environmental Wt: /

OSHA PEL:

NOT ESTABLISHED

Other REC Limits: N/P

Code: M OSHA NOT ESTABLISHED Code: M STEL:

ACGIH TLV: NOT ESTABLISHED

Code: M ACGIH NOT ESTABLISHED Code: M STEL:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 64475-85-0

T

PY8240000

T

Name: MINERAL SPIRITS

Code:

RTECS #:

Code:

Environmental Wt:

OSHA PEL:

100 PPM

Other REC Limits: N/P

Code: M OSHA N/P STEL:

Code:

ACGIH TLV: 100 PPM

Code: M ACGIH N/P STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 8012-95-1

T

PY8030000

T

Name: PARAFFIN OIL

Code:

RTECS #:

Code:

Environmental Wt:

OSHA PEL:

5 MG/M3

Other REC Limits: N/P

Code: T OSHA N/P STEL:

Code:

ACGIH TLV: 5 MG/M3 AS M

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 64742-95-6

T

WF3400000

T

Code:

RTECS #:

Code:

Name: LIGHT AROMATIC HYDROCARBONS

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

NOT ESTABLISHED

Code: M OSHA NOT ESTABLISHED
STEL: Code: M

ACGIH TLV: NOT ESTABLISHED

Code: M ACGIH NOT ESTABLISHED
STEL: Code: M

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 108-67-8

T

OX6825000

T

Code:

RTECS #:

Code:

Name: 1,3,5-TRIMETHYLBENZENE

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

25 PPM

Code: M OSHA N/P
STEL: Code:

ACGIH TLV: 25 PPM

Code: M ACGIH N/P
STEL: Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 95-63-6

T

DC3325000

T

Code:

RTECS #:

Code:

Name: 1,2,4-TRIMETHYLBENZENE

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

25 PPM

Code: M OSHA N/P
STEL:

Code:

ACGIH TLV: 25 PPM

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Hazards Data

Health

TOP

LD50 LC50 Mixture

N/P

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Health Hazards Acute And Chronic

IRRITATION OF EYES, SKIN AND RESPIRATORY SYSTEM. MAY CAUSE NERVOUS SYSTEM DEPRESSION. EXTREME OVEREXPOSURE MAY RESULT IN UNCONSCIOUSNESS AND POSSIBLY DEATH.

Explanation Of Carcinogenicity

N/P

Signs And Symptoms Of Overexposure

HEADACHE, DIZZINESS, NAUSEA, AND LOSS OF COORDINATION ARE INDICATIONS OF EXCESSIVE EXPOSURE TO VAPORS OR SPRAY MISTS. REDNESS AND ITCHING OR BURNING SENSATION MAY INDICATE EYE OR EXCESSIVE SKIN EXPOSURE.

Medical Cond Aggravated By Exposure

GENERALLY RECOGNIZED.

First Aid

IF INHALED: IF AFFECTED, REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM AND QUIET.
SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED
CLOTHING AND LAUNDRY BEFORE RE-USE. EYES: FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR 15
MINUTES. GET MEDICAL ATTENTION. IF SWALLOWED: GET MEDICAL ATTENTION.

Spill Release Procedures

REMOVE ALL SOURCES OF IGNITION. VENTILATE AND REMOVE WITH INERT ABSORBENT.

Neutralizing Agent

N/P

Waste Disposal Methods

WASTE FROM THIS PRODUCT MAY BE HAZARDOUS AS DEFINED UNDER THE RESOURCE CONSERVATION
AND RECOVERY ACT 40 CFR 261. WASTE MUST BE TESTED FOR IGNITABILITY TO DETERMINE THE
APPLICABLE EPA HAZARDOUS WASTE NUMBERS. INCINERATE IN APPROVED FACILITY. DO NOT
INCINERATE CLOSED CONTAINER. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL
REGULATIONS.

Handling And Storage Precautions

DOT STORAGE CATEGORY 2. CONTENTS ARE COMBUSTIBLE. KEEP AWAY FROM HEAT & OPEN FLAME.
FOLLOW NFPA CODE. USE APPROVED BONDING & GROUNDING PROCEDURES. KEEP CONTAINER CLOSED
WHEN NOT IN USE. TRANSFER ONLY TO APPROVED CONTAINERS WITH COMPLETE & APPROPRIATE
LABELING.

Other Precautions

DON'T TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN. COATING MAY CONTAIN MATERIALS
CLASSIFIED AS NUISANCE PARTICULATES WHICH MAY BE PRESENT AT HAZARDOUS LEVELS ONLY
DURING SANDING OR ABRADING OF DRIED FILM. IF NO SPECIFIC DUSTS ARE LISTED, USE THE
APPLICABLE LIMITS FOR NUISANCE DUSTS.

Explosion Hazard Information

Fire and

TOP

Flash Point Method:

PMCC

Flash Point: =38.3C, 101.F

Flash Point Text:

Autoignition Temp:

Autoignition Temp Text: N/P

Lower Limits: 0.7

Upper Limits: 7.0

Extinguishing Media

CARBON DIOXIDE, DRY CHEMICAL, FOAM

Fire Fighting Procedures

PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. WATER MAY BE USED ON CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTOIGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

Unusual Fire/Explosion Hazard

KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS, AND OPEN FLAME. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. APPLICATION TO HOT SURFACES REQUIRES SPECIAL PRECAUTIONS. DURING EMERGENCY CONDITIONS OVEREXPOSURE TO DECOMPOSITION PRODUCTS MAY CAUSE A HEALTH HAZARD.

Measures

Control

[TOP](#)

Respiratory Protection

IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION, WEAR A PROPERLY FITTED ORGANIC VAPOR/PARTICULATE RESPIRATOR APPROVED BY NIOSH/MSHA FOR PROTECTION AGAINST MATERIALS IN SECTION II. WHEN SANDING OR ABRADING THE DRIED FILM, WEAR A DUST/MIST RESPIRATOR APPROVED BY NIOSH/MSHA FOR DUST WHICH MAY BE GENERATED FROM THIS PRODUCT.

Ventilation

LOCAL EXHAUST PREFERABLE. GENERAL EXHAUST ACCEPTABLE IF THE EXPOSURE IS MAINTAINED BELOW APPLICABLE LIMITS.

Protective Gloves

WEAR GLOVES WHICH ARE RECOMMENDED BY GLOVE SUPPLIER FOR PROTECTION

Eye Protection

WEAR SAFETY SPECTACLES WITH UNPERFORATED SIDESHIELDS.

Other Protective Equipment

N/P

Work Hygienic Practices

USE ONLY WADEQUATE VENTILATION. AVOID BREATHING VAPOR SPRAY MIST. AVOID SKIN EYE CONTACT. WASH HANDS AFTER USING.

Supplemental Safety and Health

CODES: HEALTH=3; FLAMMABILITY=2; REACTIVITY=0

Physical/Chemical Properties

[TOP](#)

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: 300-425 F

Melt/Freeze Pt:

M.P/F.P Text: N.A.

Decomp Temp:

Decomp Text: N/P

Vapor Pres: N/P

Vapor Density: > AIR

Volatile Org Content %:

Spec Gravity: 0.82

VOC Pounds/Gallon:

4.79

PH: N/P

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference: SLOWER THAN ETHER

Solubility in Water: N.A.

Appearance and Odor: N/P

Percent Volatiles by Volume: 73%

Corrosion Rate: N/P

Reactivity Data

TOP

Stability Indicator:

YES

Stability Condition To Avoid: NONE KNOWN.

Materials To Avoid: NONE KNOWN.

Hazardous Decomposition Products: BY FIRE: CARBON DIOXIDE, CARBON MONOXIDE

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization N/P

Toxicological Information

TOP

Toxicological Information:

INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. PROLONGED OVEREXPOSURE TO SOLVENT INGREDIENTS IN SECTION II MAY CAUSE ADVERSE EFFECTS TO THE LIVER, URINARY AND REPRODUCTIVE SYSTEMS. REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE.

Ecological Information

TOP

Ecological:

N/P

Information

MSDS Transport

TOP

Transport Information:

N/P

Regulatory Information

TOP

Sara Title III Information:

SARA 313 SUPPLIER NOTIFICATION: 1,2,4-TRIMETHYLBENZENE

Federal Regulatory Information: TSCA CERTIFICATION: ALL CHEMICALS IN THIS PRODUCT ARE LISTED, OR ARE EXEMPT FROM LISTING, ON THE TSCA INVENTORY.

State Regulatory Information: CALIFORNIA PROPOSITION 65: WARNING: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

Other Information

TOP

Other Information:

THE ABOVE INFORMATION PERTAINS TO THIS PRODUCT AS CURRENTLY FORMULATED, AND IS BASED ON THE INFORMATION AVAILABLE AT THIS TIME. ADDITION OF REDUCERS OR OTHER ADDITIVES TO THIS PRODUCT MAY SUBSTANTIALLY ALTER THE COMPOSITION AND HAZARDS OF THE PRODUCT. SINCE CONDITIONS OF USE ARE OUTSIDE OUR CONTROL, WE MAKE NO WARRANTIES, EXPRESS OR IMPLIED, AND ASSUME NO LIABILITY IN CONNECTION WITH ANY USE OF THIS INFORMATION.

HAZCOM Label

HMIS

TOP

[Print Labels](#)

Product ID:

1010 WATER SEAL WATERPROOFER

Cage: TO754

Assigned IND: Y

Company Name:

THE THOMPSON'S COMPANY

Street: 10136 MAGNOLIA DR

PO Box:

City:

OLIVE BRANCH

State: MS

Zipcode: 38654

Country: US

Health Emergency Phone:

216-566-2917

Label Required IND:

Y

Date Of Label Review: 09/28/2000

Status Code: A

MFG Label NO:

Label Date:

Year Procured:

Origination Code:

G

Chronic Hazard IND: N/P

Eye Protection IND: N/P

Skin Protection IND: N/P

Signal Word: N/P

Respiratory Protection N/P
IND:

Health Hazard:

Contact Hazard:

Fire Hazard:

Reactivity Hazard:

Hazard And Precautions

IRRITATION OF EYES, SKIN AND RESPIRATORY SYSTEM. MAY CAUSE NERVOUS SYSTEM DEPRESSION. EXTREME OVEREXPOSURE MAY RESULT IN UNCONSCIOUSNESS AND POSSIBLY DEATH.

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.