

Safety Information

MSDS

[TOP](#)

FSC:

8030

MSDS Date:

01/31/1995

MSDS Num:

CBZZP

Submitter:

N EN

LIIN:

00N073385

Tech Review:

09/30/1996

Status CD:

C

Product ID:

GROUT SEALER

MFN:

01

Article:

N

Kit Part:

N

Cage:

Responsible Party

AQUAM

Name:

AQUA MIX INC

Address:

9419 ANN ST

City:

SANTA FE SPRINGS

State:

CA

Zip:

90670

Country:

US

Info Phone Number:

800-366-6877

Emergency Phone Number:

800-424-9300(CHEMTREC)

Radioactive Ind:

N

Preparer's Name:

N/P

Proprietary Ind:

N

Review Ind: N

Published: Y

Special Project CD: N

Summary

Contractor

[TOP](#)

Cage:

AQUAM

Name:

AQUA MIX INC

Address:

9419 ANN ST

City:

SANTA FE SPRINGS

Country:

US

State:

CA

Zip:

90670

Phone:

800-366-6877

Ingredients

[TOP](#)

Cas:

X

X

Code:

RTECS #:

Code:

Name: **NON-HAZARDOUS INGREDIENTS (MAY CONTAIN TRACE AMOUNTS OF INGREDIENT 2)**

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

N/K (FP N)

Code: M OSHA
STEL:

Code:

ACGIH TLV: N/K (FP N)

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

Cas: 108-88-3

M

XS5250000

M

Code:

RTECS #:

Code:

Name: **TOLUENE (SARA 313) (CERCLA)**

% Text: TRACE

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

200 PPM

Code: M OSHA
STEL:

Code:

ACGIH TLV: S, 50 PPM

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty: 1000 LBS

DOT 1000 LBS
Rpt
Qty:

Ozone Depleting Chemical:

N

Hazards Data

Health

TOP

LD50 LC50 Mixture

NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds -- Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds -- NTP: NO

IARC: NO

OSHA: NO

Health Hazards Acute And Chronic

1. MAY CAUSE MILD TO MODERATE IRRITATION TO THE EYES, SKIN AND MUCOUS MEMBRANES. PROLONGED OR REPEATED CONTACT MAY CAUSE IRRITATION, REDNESS AND DRYING. CONTACT MAY CAUSE TEARING OR BURNING. INGESTION: INGESTION MAY CAUSE BURNING OF THROAT AND ABDOMINAL DISCOMFORT. INHALATION: SPRAYS AND (EFFECTS OF OVEREXPOSURE)

Explanation Of Carcinogenicity

NOT RELEVANT

Signs And Symptoms Of Overexposure

HEALTH HAZARDS: MISTS MAY CAUSE IRRITATION/BURNING TO MUCOUS MEMBRANES. CHRONIC: TOLUENE APPEARS ON NAVY OCCUPATIONAL CHEMICAL REPRODUCTION HAZARD LIST. SEEK CONSULTATION FROM APPROPRIATE HEALTH PROFESSIONALS CONCERNING LATEST HAZARD LIST INFORMATION & SAFE HANDLING & EXPOSURE INFORMATION (FPLN). UNNECESSARY EXPOSURE TO ANY CHEMICAL SHOULD BE AVOIDED. TOLUENE MAY BE PRESENT IN TRACE AMOUNTS.

Medical Conditions Aggravated By Exposure

NONE KNOWN.

First Aid

1. EYES: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. SKIN: FLUSH WITH WATER. INHALATION: RELOCATE TO FRESH AIR. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GIVE LARGE QUANTITIES OF WATER TO DRINK, SEEK IMMEDIATE MEDICAL ATTENTION.

Spill Release Procedures

SOAK UP WITH COMPATIBLE ABSORBENT MATERIAL (SAND, CLAY LITTER, DIATOMACEOUS EARTH).

Neutralizing Agent

NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods

DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions

STORE IN COOL, DRY LOCATION AWAY FROM ACIDS. PROTECT FROM FREEZING TO PREVENT COAGULATION OF MATERIAL.

Other Precautions

NONE SPECIFIED BY MANUFACTURER.

Explosion Hazard Information

Fire and

[TOP](#)

Flash Point Method:

N/P

Flash Point:

Flash Point Text: NONE

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/A

Upper Limits: N/A

Extinguishing Media

USE APPROPRIATE AGENT FOR SURROUNDING MATERIALS.

Fire Fighting Procedures

WEAR NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N). NONE.

Unusual Fire/Explosion Hazard

NONE.

Control

[TOP](#)

Respiratory Protection

USE NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N). NOT REQUIRED.

Ventilation

NO SPECIAL REQUIREMENTS.

Protective Gloves

WEAR RUBBER OR NITRILE GLOVES.

Eye Protection

ANSI APPROVED CHEM WORKERS GOGGS (FP N).

Other Protective Equipment

ANSI APPROVED EMERGENCY EYE WASH AND DELUGE SHOWER (FP N). USE AS NECESSARY TO PREVENT SKIN CONTACT.

Work Hygienic Practices

NORMAL SAFE WORK PRACTICES SHOULD BE EXERCISED WHEN USING THIS PRODUCT.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

Physical/Chemical Properties

[TOP](#)

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: 212F,100C

Melt/Freeze Pt:

M.P/F.P Text: N/A

Decomp Temp:

Decomp Text: N/K

Vapor Pres: 30

Vapor Density: N/A

Volatile Org Content %:

Spec Gravity: 1.02 (H*2O=1)

VOC Pounds/Gallon:

PH: 12.5

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference:

Solubility in Water: COMPLETE

Appearance and Odor: MILKY WHITE LIQUID; MILD ODOR.

Percent Volatiles by Volume: N/K

Corrosion Rate: N/K

Reactivity Data

[TOP](#)

Stability Indicator:

YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: ACIDS.

Hazardous Decomposition Products: NONE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization NOT RELEVANT

Toxicological Information

[TOP](#)

Toxicological Information:

N/P

Ecological Information

[TOP](#)

Ecological:

N/P

MSDS Transport

[TOP](#)

Information

Transport Information:

N/P

Regulatory Information

[TOP](#)

Sara Title III Information:

N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

[TOP](#)

Other Information:

N/P

HMIS

[TOP](#)

HAZCOM Label

[Print Labels](#)

Product ID:

GROUT SEALER

Cage: AQUAM

Assigned IND: N

Company Name:

AQUA MIX INC

Street: 9419 ANN ST

PO Box:

City:

SANTA FE SPRINGS

State: CA

Zipcode: 90670

Country: US

Health Emergency Phone:

800-424-9300(CHEMTREC)

Label Required IND:

Y

Date Of Label Review: 09/30/1996

Status Code: C

MFG Label NO:

Label Date: 09/30/1996

Year Procured:

Origination Code:

G

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection YES
IND:

Health Hazard:

Slight

Contact Hazard: Slight

Fire Hazard:

None

Reactivity Hazard: None

Hazard And Precautions

ACUTE:MAY CAUSE MILD TO MODERATE IRRITATION TO THE EYES, SKIN AND MUCOUS MEMBRANES.
SKIN:PROLONGED OR REPEATED CONTACT MAY CAUSE IRRITATION, REDNESS AND DRYING. EYE:CONTACT
MAY CAUSE TEARING OR BURNING. INGESTION:INGESTION MAY CAUSE BURNING OF THROAT AND
ABDOMINAL DISCOMFORT. INHALATION:SPRAYS AND MISTS MAY CAUSE IRRITATION OR BURNING TO THE
MUCOUS MEMBRANES. CHRONIC:TOLUENE APPEARS ON THE NAVY OCCUPATIONAL CHEMICAL REPRODUCTIVE
HAZARDS LIST (FP N). UNNECESSARY EXPOSURE TO ANY CHEMICAL SHOULD BE AVOIDED.

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.