

FEL-PRO INC (BOUGHT OUT CLOVER MFG-1986) -- CLOVER SILICON
CARBIDE PAT-GEL LAPPING CMPD -- 5350-00N012213

=====
Product Identification
=====

Product ID:CLOVER SILICON CARBIDE PAT-GEL LAPPING CMPD

MSDS Date:08/30/1989

FSC:5350

NIIN:00N012213

MSDS Number: BJMVC

=== Responsible Party ===

Company Name:FEL-PRO INC (BOUGHT OUT CLOVER MFG-1986)

Address:7450 N MCCORMICK BLVD

Box:C1103

City:SKOKIE

State:IL

ZIP:60076

Country:US

Info Phone Num:312-674-7700;312-761-4500

Emergency Phone Num:312-674-7700;312-761-4500

Preparer's Name:DIANE GALLAGHER

CAGE:HO748

=== Contractor Identification ===

Company Name:FEL-PRO INC (BOUGHT OUT CLOVER MFG-1986)

Address:7450 N MCCORMICK BLVD

Box:C1103

City:SKOKIE

State:IL

ZIP:60076

Country:US

Phone:312-674-7700;312-761-4500

CAGE:HO748

Company Name:FEL-PRO INC DIV OF FELT PRODUCTS MFG CO

Address:7450 N MCCORMICK

Box:1103

City:SKOKIE

State:IL

ZIP:60076-4046

Country:US

Phone:847-674-7700 OR 312-761-4500

CAGE:73165

=====
Composition/Information on Ingredients
=====

Ingred Name:THIS PRODUCT CONSISTS OF SILICON CARBIDE GRIT DISPERSED IN
A WATER-BASED GEL AND CONTAINS NO HAZARDOUS INGREDIENTS

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NO ACUTE OR CHRONIC HEALTH HAZARDS

KNOWN. POSSIBLE MECHANICAL IRRITATION IF INDUCED INTO THE EYE DUE
TO ABRASIVE GRIT PRESENT.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:NONE KNOWN.

Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH TEPID WATER FOR 15 MIN, HOLDING EYELIDS APART. DO NOT RUB EYES. GET MD.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:USE CO2, FOAM, DRY CHEMICAL OR WATER FOG.
Fire Fighting Procedures:USE EYE PROTECTION. USE NIOSH/MSHA APPROVED SCBA WHEN FIGHTING FIRES IN CONFINED AREAS. NONFLAMMABLE.
Unusual Fire/Explosion Hazard:NONE KNOWN.

=====
Accidental Release Measures
=====

Spill Release Procedures:WIPE UP WITH RAGS AND PLACE IN DISPOSAL CONTAINER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:USE NORMAL STORAGE AND HANDLING. PROTECT FROM FREEZING.
Other Precautions:KEEP OUT REACH OF CHILDREN.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE REQUIRED.
Ventilation:LOCAL EXHAUST IS ACCEPTABLE AS WELL AS MECHANICAL EXHAUST.
Protective Gloves:NONE REQUIRED.
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:NONE REQUIRED.
Work Hygienic Practices:NO SPECIAL WORK OR HYGIENIC PRACTICES REQUIRED.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

HCC:N1
Boiling Pt:B.P. Text:212F,100C
Vapor Pres:18 @ 68F
Vapor Density:0.6
Spec Gravity:1.24
Evaporation Rate & Reference:SLOWER (BUTYL ACETATE=1)
Solubility in Water:APPRECIABLE
Appearance and Odor:GREY GEL, VERY MILD CHARACTERISTIC ODOR.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
PRODUCT IS WATER-BASED AND IS NOT MISCIBLE WITH OILS.
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:NONE KNOWN.

=====
Disposal Considerations
=====

Waste Disposal Methods:PRODUCT IS BIODEGRADABLE. RECOMMEND LARGE
AMOUNTS BE DISPOSED IN SANITARY LANDFILL IN ACCORDANCE WITH
FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.