

BAYER DIAGNOSTICS DIV -- 1360 CHEK STIX URINALYSIS CONTROL STRIPS
MATERIAL SAFETY DATA SHEET
NSN: 6550010934010
Manufacturer's CAGE: 59426
Part No. Indicator: A
Part Number/Trade Name: 1360 CHEK STIX URINALYSIS CONTROL STRIPS

General Information

Company's Name: BAYER CORP DIAGNOSTICS DIV
Company's Street: 511 BENEDICT AVE
Company's City: TARRYTOWN
Company's State: NY
Company's Country: US
Company's Zip Code: 10591-5097
Company's Emerg Ph #: 914-631-8000/800-348-8100
Company's Info Ph #: 914-631-8000/800-348-8100
Record No. For Safety Entry: 001
Tot Safety Entries This Stk#: 001
Status: SE
Date MSDS Prepared: 25FEB94
Safety Data Review Date: 22DEC95
Preparer's Company: BAYER CORP DIAGNOSTICS DIV
Preparer's St Or P. O. Box: 511 BENEDICT AVE
Preparer's City: TARRYTOWN
Preparer's State: NY
Preparer's Zip Code: 10591-5097
MSDS Serial Number: BYPBK

Ingredients/Identity Information

Proprietary: NO
Ingredient: SODIUM CARBONATE (SODA ASH, TRONA, CARBONIC ACID, CRYSTOL CARBONATE, DISODIUM CARBONATE)
Ingredient Sequence Number: 01
Percent: 2
NIOSH (RTECS) Number: VZ4050000
CAS Number: 497-19-8

Physical/Chemical Characteristics

Appearance And Odor: PLASTIC STIX W/7 PADS/STRIP.

Fire and Explosion Hazard Data

Flash Point: NONE
Extinguishing Media: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.
Special Fire Fighting Proc: WEAR A SELF-CONTAINED BREATHING APPARATUS.

Reactivity Data

Stability: YES
Hazardous Decomp Products: INCINERATION: TRACE AMOUNTS OF TOXIC GASES.
Hazardous Poly Occur: NO

Health Hazard Data

LD50-LC50 Mixture: ORAL LD50 (RAT): 4090 MG/KG
Route Of Entry - Inhalation: NO
Route Of Entry - Skin: NO

Route Of Entry - Ingestion: YES
Health Haz Acute And Chronic: SKIN/EYES: MAY CAUSE MILD IRRITATION ON CONTACT. INGESTION: MAY CAUSE IRRITATION TO MUCOUS MEMBRANES OF MOUTH & GI TRACT.
Carcinogenicity - NTP: NO
Carcinogenicity - IARC: NO
Carcinogenicity - OSHA: NO
Explanation Carcinogenicity: NONE
Signs/Symptoms Of Overexp: IRRITATION.
Emergency/First Aid Proc: SKIN/EYES: FLUSH W/WATER. INGESTION: DRINK TWO 8 OUNCE GLASSES OF WATER/MILK TO DILUTE. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====

Precautions for Safe Handling and Use

=====

Steps If Matl Released/Spill: SWEEP/PICK UP & PLACE IN A DISPOSAL CONTAINER.
Waste Disposal Method: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.
Precautions-Handling/Storing: STORE AT TEMP & CONDITIONS AS INDICATED ON PRODUCT LABELS. AVOID CONTACT W/PADS ON STRIP.

=====

Control Measures

=====

Respiratory Protection: NONE REQUIRED
Ventilation: GENERAL ROOM VENTILATION.
Protective Gloves: NONE REQUIRED
Eye Protection: NONE NEEDED/REQUIRED
Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.
Suppl. Safety & Health Data: PRODUCT CONTAINER IS HIGH-DENSITY POLYETHYLENE. THIS PRODUCT DOES CONTAIN MATERIAL DERIVED FROM ANIMAL SOURCES & MAY BE CONSIDERED A BIOHAZARD &/REGULATED MEDICAL WASTE.

=====

Transportation Data

=====

Disposal Data

=====

Label Data

=====

Label Required: YES
Label Status: G
Common Name: 1360 CHEK STIX URINALYSIS CONTROL STRIPS
Special Hazard Precautions: SKIN/EYES: MAY CAUSE MILD IRRITATION ON CONTACT. INGESTION: MAY CAUSE IRRITATION TO MUCOUS MEMBRANES OF MOUTH & GI TRACT. IRRITATION.
Label Name: BAYER CORP DIAGNOSTICS DIV
Label Street: 511 BENEDICT AVE
Label City: TARRYTOWN
Label State: NY
Label Zip Code: 10591-5097
Label Country: US
Label Emergency Number: 914-631-8000/800-348-8100