

# MARVEL TOOL OIL

AIR TOOL  
OIL

June 20, 2002

Page 1 of 5

## MATERIAL SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	Marvel	Air Tool Oil
PRODUCT CODE	MM080, MM085, MM086, MM087, MM088R, MM089	
CHEMICAL FAMILY	Petroleum	Distillates
CHEMICAL NAME	Complex	Mixture of Hydrocarbons
FORMULA	Mixture	
MANUFACTURER	EMERGENCY	TELEPHONE NUMBERS
Marvel Oil Company, Inc C/O Turtle Wax, Inc 5655 W. 73 <sup>rd</sup> Street Chicago, IL 60638 Phone: 708-563-3766 Fax: 708-563-3715	Transportation: CHEMTREC: 800-424-9300 Medical: ROCKY MTN POISON CTR: 800-332-3073	

### 2. POSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS	NUMBER	CONCENTRATION	(wt %)
Naphthenic Hydrocarbons	64742-52-5	70	-	80
Mineral Spirits	08052-41-3	20	-	30
Chlorinated Hydrocarbons	00095-50-1		0-	1

#### EXPOSURE LIMITS 8 hrs. TWA(ppm)

	<u>O_SHA PEL</u>	<u>ACGIH TLV</u>
Naphthenic Hydrocarbons	5 as oil mist	5 as oil mist
Mineral Spirits	100	100
Chlorinated Hydrocarbons	25	25

### 3. HAZARDS IDENTIFICATION

#### POTENTIAL HEALTH EFFECTS

**INHALATION:** Can cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea, headache, possible unconsciousness and even asphyxiation.

**INGESTION:** Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs can cause pneumonitis which can be fatal.

**SKIN CONTACT:** Prolonged or repeated contact can cause moderated irritation, defatting or dermatitis.

**EYE CONTACT:** Can cause severe irritation, redness, tearing or blurred vision.

MIRACLES FOR YOU

June 20, 2002

Page 2 of 5

4. FIRST AID MEASURES

**EYE:** Flush with large amounts of water, lifting upper and lower eyelids occasionally. Get medical attention.

**SKIN:** Thoroughly wash exposed area with soap and water. Remove contaminated clothing. Launder before re-use.

**INHALATION:** Remove person to fresh air. If breathing difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm and quiet. Call a physician.

**INGESTION:** Do not induce vomiting. Keep person quiet and warm. Get medical attention. Aspiration of material into lungs can cause chemical pneumonitis which can be fatal.

5. FIRE FIGHTING MEASURES

**FLASH POINT:** 128 °F (53 °C) TCC

**EXTINGUISHING MEDIA:** Carbon dioxide, dry chemical, foam.

**SPECIAL FIRE FIGHTING PROCEDURES:** Wear self-contained breathing apparatus with full facepiece operated with positive pressure-demand when fighting large fires.

6. ACCIDENTIAL RELEASE MEASURES

**SPILL OR LEAK PROCEDURES:** Ventilate area. Remove sources of ignition. Prevent entry into sewers and waterways. Pick up free liquid for recycle and/or disposal. Absorb small amounts on inert material for disposal.

7. HANDLING AND STORAGE

**STORAGE TEMPERATURE (MIN./MAX.):** -40 °F (-40 °C) / 120 °F (49 °C)

**SHELF LIFE:** 3 years minimum when the original container is kept tightly closed and properly stored.

**SPECIAL SENSITIVITY:** None.

**HANDLING AND STORAGE PRECAUTIONS:** Empty containers may be dangerous since fumes may still exist. Observe precautions given for this product as stated in this document.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**EYE PROTECTION REQUIREMENTS:** Splash goggles.

**SKIN PROTECTION REQUIREMENTS:** Wear chemically resistant gloves.

**RESPIRATOR/VENTILATION REQUIREMENTS:** Provide sufficient ventilation to avoid exposure levels above the established TLV's.

**EXPOSURE LIMITS:** Not established for product as whole.

Mineral Spirits	NIOSH	100	ppm TWA
-----------------	-------	-----	---------

Oil Mist	OSHA	5 mg/m <sup>3</sup>	
----------	------	---------------------	--

9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL FORM:** Thin liquid

June 20, 2002

Page 3 of 5

**COLOR:** R ed

**ODOR:** Wintergreen

**BOILING POINT:** Not determined

**MELT / FREEZE POINT:** -60 °F (-51 °C)

**PH:** Not applicable

**SOLUBILITY IN WATER:** Insoluble

**SPECIFIC GRAVITY:** 0.876 @ 60 °F (15.6 °C)

**% VOLATILE BY WEIGHT:** 2.5 %

**VAPOR PRESSURE:** Not determined

**VAPOR DENSITY:** Not determined

**10. REACTIVITY****STABILITY:** Stable**HAZARDOUS POLYMERIZATION:** Will not occur.**INCOMPATIBILITIES:** Strong oxidizing agents.**DECOMPOSITION PRODUCTS:** Carbon monoxide, carbon dioxide and hydrocarbons.**11. TOXICOLOGICAL INFORMATION****ACUTE INHALATION:** Aspiration into lungs can cause pneumonitis which can be fatal.**CHRONIC INHALATION:** Not determined.**ACUTE SKIN CONTACT:** Prolonged or repeated contact can cause moderate irritation, defatting or dermatitis.**CHRONIC SKIN CONTACT:** Not determined.**ACUTE EYE CONTACT:** Can cause severe irritation, redness, tearing or blurred vision.**12. ECOLOGICAL INFORMATION**

No data available.

**13. DISPOSAL CONSIDERATIONS**

Ignitable hazardous waste, EPA Hazardous Waste Number D001

**WASTE DISPOSAL METHOD:** Dispose of product in accordance with all local, state and federal laws and regulations.**14. TRANSPORT INFORMATION****DOT INFORMATION:**

June 20, 2002

Page 4 of 5

<b>PROPER SHIPPING NAME:</b>	Non Bulk Bulk	Not regulated Petroleum distillates, n.o.s.
<b>TECHNICAL SHIPPING NAME:</b>		Fuel and oil additive
<b>HAZARD CLASS:</b>	Non Bulk Bulk	ORM-D Class 3
<b>UN NUMBER:</b>		U N 1268
<b>PRODUCT RQ (lbs):</b>		N one
<b>LABEL:</b>	Non Bulk Bulk	ORM-D Flammable Liquid
<b>PLACARD:</b>	Non Bulk Bulk	None Flammable Liquid
<b>FREIGHT CLASS BULK:</b>		PG III
<b>FREIGHT CLASS PACKAGE:</b>		N one
<b>PRODUCT LABEL</b>		N one

15. REGULATORY INFORMATION

**TSCA STATUS:** All ingredients listed

**CERCLA REPORTABLE QUANTITY:** N one

**SARA TITLE III:**

**SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES** N one

**SECTION 311/312 HAZARD CATEGORIES**

Acute Health	Yes
Chronic Health	Yes
Fire	Yes
Reactive	No
Sudden Release of Pressure	No

**SECTION 313**

<u>CHEMICAL NAME</u>	<u>CAS</u>	<u>NUMBER</u>	<u>CONCENTRATION</u>
Ortho-dichlorobenzene	00095-50-1		0 - 0.25 %

**RCRA STATUS:** If discarded in its purchased form, this product would be an ignitable waste with an EPA Hazardous Waste Number of D001. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24)

**CANADIAN STATUS:** All materials contained in this product are listed on the Canadian Domestic Substances List.

June 20, 2002

Page 5 of 5

**EUROPEAN UNION:** All materials contained in this product are listed on EINECS.

**STATE REGULATORY INFORMATION**

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

<u>COMPONENT/ CAS NUMBER</u>	<u>CONCENTRATION</u>	<u>STATE CODE</u>
p-dichlorobenzene 00106-46-7	less than 150 ppm	CA

CA = Material known to the state of California to cause cancer and/or birth defects. (California Proposition 65).

16. **OTHER INFORMATION**

<b>HMIS CLASSIFICATION</b>	Health	2
	Flammability	2
	Reactivity	0
	Pi	B
<b>NFPA RATING</b>	Health	2
	Fire	2
	Reactivity	0
	Special	None
<b>REASON FOR ISSUE</b>	Update	to ANSI format
<b>PREPARED BY</b>	Richard P. Kelly	
<b>TITLE</b>	Technical Manager	
<b>APPROVAL DATE</b>	June	21, 2002
<b>SUPERCEDES DATE</b>	November 7, 2000	
<b>REVISION NUMBER</b>	#	04

This information is to the best of Marvel Oil Company's knowledge and belief, accurate and reliable. However, no representation, warranty, or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.

Msdsmm005new.doc