

# **Material Safety Data Sheet**

**Revision Date** 

01-Mar-2005

# 1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product code

KT13400

**Product name** 

SANDABLE GRAY PRIMER

Recommended Use

Coating

Supplier

Kent Automotive 6200 Oak Tree Bvld. Independence, OH 44131

(800) 458-3222

**Emergency telephone number** 

(888) 426-4851

# 2. HAZARDS IDENTIFICATION

**Emergency Overview** 

Irritant. Extremely flammable.

Color Grey

**Odor** Solvent

Form Aerosol

**Aggravated Medical Conditions** 

Reports have associated prolonged overexposure to solvents with permanent brain and nervous system damage.

**Principal Routes of Exposure** 

Eyes. Inhalation.

Potential health effects

Eyes

Irritation. Swelling.

Skin

Skin Irritation.

Inhalation

May cause irritation of the nose and throat. Central nervous system effects. Dizziness. Headaches. Fatigue. Exposure to hot fumes may cause nausea and damage to respiratory system. Misuse by deliberately concentrating vapors and

inhaling contents can be harmful or fatal.

Ingestion

No information available

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name         | CAS-No     | Weight % |
|-----------------------|------------|----------|
| Propane               | 74-98-6    | 10-30    |
| N-Butane              | 106-97-8   | 7-13     |
| Acetone               | 67-64-1    | 30-60    |
| Toluene               | 108-88-3   | 10-30    |
| Titanium dioxide      | 13463-67-7 | 5-10     |
| Zinc Distearate, pure | 557-05-1   | 1-5      |
| Mineral Spirits       | 64742-47-8 | 1-5      |

### 4. FIRST AID MEASURES

Eye contact

Remove to fresh air. Rinse thoroughly with plenty of water, also under the eyelids.

Seek medical attention if irritation persists.

Skin contact

Wash area thoroughly with soap and water. Remove and wash contaminated

clothing before re-use.

Ingestion

Call a physician or Poison Control Center immediately.

Inhalation

Move to fresh air. If symptoms persist, call a physician.

### 5. FIRE FIGHTING MEASURES

Flash point °C

-19

Flash point °F

-2

Method

No information available

Autoignition temperature °C

No data available

Autoignition temperature °F

Flammability Limits (% in Air)

Upper

13.0

Lower

1.2

**Specific Information for Aerosol Products** 

Flame extension

15"

Flashback

None

### Suitable extinguishing media

Carbon dioxide (CO2). Water spray. alcohol-resistant foam. Sand.

#### Extinguishing media which must NOT be used for safety reasons

No information available.

### **Special Fire-Fighting Procedures**

None known.

#### Fire and Explosion Hazards

Firefighters should wear NIOSH/MSHA approved (or equivalent) self-contained pressure-demand breathing apparatus and full protective clothing.

### Sensitivity to shock

No information available.

### Sensitivity to static discharge

No information available.

# 6. ACCIDENTAL RELEASE MEASURES

Methods for cleaning up

Personnel should wear appropriate protective equipment. Follow all precautions for handling. Please refer to appropriate sections of MSDS for additional information. Evacuate area of unprotected and unnecessary personnel. Do not allow product to reach sewage system, soil, surface or ground water, or any water course. Notify proper authorities if entry occurs. Do not flush with water or aqueous cleansing agents. Use diluted caustic solution. Soak up with inert absorbent material. Dispose of absorbent in accordance with local, state and federal regulations.

# 7. HANDLING AND STORAGE

Handling

Do not spray on a naked flame or any other incandescent material. Do not smoke. Protect against electrostatic charges.

Storage

Small pressurized containers of flammable product may be stored in areas suitable for ordinary combustibles with respect to construction, drainage, control of ignition sources, and ventilation except that they should not be stored in basements. Keep away from heat. Keep away from direct sunlight. Do not freeze.

**NFPA Storage Code** 

Store as Level 3 Aerosol (NFPA 30B)

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure limits

| Chemical Name         | OSHA PEL (TWA)  | OSHA PEL (Ceiling) | ACGIH OEL (TWA)  | ACGIH OEL (STEL) |
|-----------------------|---|--------------------|--|------------------|
| Acetone               | 1000 ppm<br>2400 mg/m³                                | -                  | 500 ppm  | 750 ppm          |
| Propane               | 1000 ppm<br>1800 mg/m³                                | -                  | 1000 ppm listed under<br>aliphatic hydrocarbon<br>gases alkane C1-C4 | -                |
| N-Butane              | -   | -                  | 1000 ppm listed under<br>aliphatic hydrocarbon<br>gases alkane C1-C4 | _                |
| Zinc Distearate, pure | 15 mg/m³ total dust<br>5 mg/m³ respirable<br>fraction | _                  | 10 mg/m³ does not include stearates of toxic metals                  | _                |
| Titanium dioxide      | 15 mg/m³ total dust                                   | -                  | 10 mg/m³   |                  |
| Mineral Spirits       | -   | -                  | - 10 mg/m  | *                |
| Toluene               | 200 ppm   | 300 ppm            | 50 ppm   | -                |

### Ventilation and Environmental Controls

Adequate ventilation should be provided to keep exposure levels below current acceptable exposure limits.

### Hygiene measures

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

### Respiratory protection

None necessary under normal conditions. Use NIOSH approved respirator if TLV limit is exceeded.

Hand protection

Protective gloves. Impervious gloves.

Eye protection

Tightly fitting safety goggles.

Skin and body protection

No information available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Aerosol

Odor Solvent

рН No data available Vapor pressure No data available

**Evaporation Rate** Water solubility

No data available

No data available

-47 No data available

Flash point °F

Boiling point/range °F

Melting point/range °F

-2

Color

**Odor Threshold Specific Gravity** 

Vapor density **VOC Content** 

**Partition Coefficient** (n-octanol/water)

Boiling point/range °C

Melting point/range °C Flash point °C

-44 No data available

Grey

5 ppm

43.2 %

>1

0.77-0.90

No data available

-19

## 10. STABILITY AND REACTIVITY

#### Stability

Stable under normal conditions.

#### Conditions to avoid

Do not store in temperatures above 120 degrees F.

#### Materials to avoid

No information available

#### Hazardous decomposition products

None known.

#### Polymerization

No information available

### **Synergistic Products**

No information available.

## 11. TOXICOLOGICAL INFORMATION

### **Component Information**

| Chemical Name | LD50 (oral,rat) | LD50 (dermal,rat/rabbit) | LC50 (inhalation,rat) |
|---------------|-----------------|--------------------------|-----------------------|
| Acetone       | 5800 mg/kg      | -                        | 44 g/m³               |
| 67-64-1       |                 |                          | 50100 mg/m³           |

| Propane                           |           | -           | -                    |
|-----------------------------------|-----------|-------------|----------------------|
| 74-98-6                           |           |             |                      |
| N-Butane<br>106-97-8              | -         | -           | 658 g/m³<br>680 g/m³ |
| Zinc Distearate, pure<br>557-05-1 | 10 g/kg   | -           | -<br>-               |
| Titanium dioxide<br>13463-67-7    | -         | -           | -                    |
| Mineral Spirits<br>64742-47-8     | -         | -           | -                    |
| Toluene<br>108-88-3               | 636 mg/kg | 14100 μL/kg | 400 mg/kg<br>49 g/m³ |

### Potential health effects

Sensitization

No information available.

**Mutagenic effects** 

No information available.

Reproductive toxicity
No information available

Carcinogenic effects

See table below

**Chronic toxicity** No information available.

Teratogenic effects No information available

**Target Organ Effects**No information available

| Chemical Name         | ACGIH OEL -<br>Carcinogens   | IARC | NTP - Known<br>Carcinogens | NTP - Suspected<br>Human<br>Carcinogens | OSHA RTK<br>Carcinogens |
|-----------------------|--|------|----------------------------|---|-------------------------|
| Acetone               | A4 - Not<br>Classifiable as a<br>Human<br>Carcinogen                                     | -    | -                          | _                                       | <u>-</u>                |
| Propane               | -  | -    | _                          |   | -                       |
| N-Butane              | -  | -    | -                          | -                                       | -                       |
| Zinc Distearate, pure | A4 - Not Classifiable as a Human Carcinogen (does not include stearates of toxic metals) | -    | -                          | -                                       | _                       |
| Titanium dioxide      | A4 - Not<br>Classifiable as a<br>Human<br>Carcinogen                                     | -    | <del>-</del> .             | -                                       | -                       |
| Mineral Spirits       | -  | -    | -                          | -                                       | -                       |
| Toluene               | A4 - Not<br>Classifiable as a<br>Human<br>Carcinogen                                     | -    | -                          | -                                       | -                       |

## 12. ECOLOGICAL INFORMATION

### **Aquatic toxicity**

Acetone

Water Flea Data

water flea LC50=0.0039 mg/L (48 h) water flea EC50=12700 mg/L (48 h)

Zinc Distearate, pure

Water Flea Data

water flea LC50=5 µg/L (72 h)

Toluene

**Microtox Data** 

Photobacterium phosphoreum EC50=19.7 mg/L (30 min)

Water Flea Data

water flea EC50=11.3 mg/L (48 h) water flea EC50=310 mg/L (48 h)

# 13. DISPOSAL CONSIDERATIONS

### Waste from residues / unused products

Dispose in accordance with federal, state, and local regulations. Do not puncture or incinerate. Please recycle empty container whenever possible.

## 14. TRANSPORT INFORMATION

**DOT** 

Consumer commodity (Propane, N-Butane), ORM-D,

**TDG** 

AEROSOLS(Propane, N-Butane), Class 2.1, UN1950, PG

IMDG/IMO

Aerosols(Propane, N-Butane), UN1950, PG

IATA

Aerosols, flammable(Propane,N-Butane),UN1950 Hazard Class 2.1

MEX

UN1950 Aerosols(Propane, N-Butane), 2.2,

## 15. REGULATORY INFORMATION

| Chemical Name         | US EPA SARA 313 Emission Reporting |
|-----------------------|------------------------------------|
| Zinc Distearate, pure | Listed                             |
|                       | Listed                             |
| Toluene               | Listed                             |
|                       |                                    |

### **State Regulations**

| Chemical Name         | New Jersey - RTK | Pennsylvania - RTK | California Prop. 65      |
|-----------------------|------------------|--------------------|--------------------------|
| Acetone               | Not Listed       | Listed             | Not Listed               |
| Propane               | Listed           | Listed             | Not Listed               |
| N-Butane              | Not Listed       | Listed             | Not Listed               |
| Zinc Distearate, pure | Not Listed       | Listed             | Not Listed               |
| Titanium dioxide      | Not Listed       | Listed             | Not Listed               |
| Mineral Spirits       | Not Listed       | Not Listed         |                          |
| Toluene               | Listed           | Listed             | Not Listed Developmental |

### **International Inventories**

| Chemical Name         | EINECS      | DSL | NDSL | TSCA |
|-----------------------|-------------|-----|------|------|
| Acetone               | X           | X   | -    | X    |
| Propane               | X           | X   |      |      |
| N-Butane              | X           | X   | -    | X    |
| Zinc Distearate, pure | X           | X   | -    | Х    |
| Titanium dioxide      | X<br>X<br>X | Х   | -    | Х    |
| Mineral Spirits       | X           | X   | _    | Υ    |
| Toluene               | X           | X   | -    |      |

**CPRC** 

This product has been classified in accordance with the hazard criteria of the Controlled Product Regulations and the MSDS contains all of the information required by the Controlled Product Regulations

## **16. OTHER INFORMATION**

| NFPA         |   | HMIS            |   |
|--------------|---|-----------------|---|
| Health       | 1 | Health          | 1 |
| Flammability | 4 | Flammability    | 4 |
| Reactivity   | 3 | Physical Hazard | 3 |

Reason for revision

No information available.

**Prepared By** 

T. Heidorn, MSDS Project Lead

The information accumulated herein is believed to be accurate, but is not warranted to be, whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.