

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name YIELD  
 Recommended use Lubricant  
 Information on Manufacturer  
 CHEMSEARCH DIV. OF NCH CORP  
 BOX 152170  
 IRVING, TX 75015

Product Code 5068  
 Chemical nature Solvent blend  
 Emergency Telephone Number  
 CHEMTREC 1-800-424-9300

2. HAZARDS IDENTIFICATION

Emergency Overview  
 DANGER  
 Extremely flammable  
 May be harmful if inhaled  
 Causes skin irritation  
 Causes eye irritation  
 May be harmful if swallowed

Color Amber - Dark amber  
 Potential Health Effects  
 Principle Route of Exposure  
 Primary Routes of Entry  
 Acute Effects  
   Eyes  
   Skin  
   Inhalation  
   Ingestion  
 Chronic Toxicity  
 Target Organ Effects  
 Aggravated Medical Conditions  
 Potential Environmental Effects

Physical State Liquid  
 Odor Petroleum distillates

Inhalation, Skin contact, Eye contact.  
 Inhalation, Skin Absorption.

Causes eye irritation.  
 Causes skin irritation. Repeated exposure may cause skin dryness or cracking.  
 May cause irritation of respiratory tract. Inhalation may cause central nervous system effects. May cause central nervous system depression. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.  
 Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration hazard if swallowed - can enter lungs and cause damage. May be fatal if swallowed and enters airways.  
 Repeated and prolonged exposure to solvents may cause brain and nervous system damage. Liver and kidney injuries may occur.  
 Central nervous system, Cardiovascular system, Respiratory system, Liver, Kidney.  
 Respiratory system, Skin disorders, Neurological disorders, Liver disorders, Kidney disorders.  
 See Section 12 for additional Ecological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No
Butane	106-97-8
Ethyl acetate	141-78-6
Petroleum distillates, hydrotreated light	64742-47-8
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	64742-52-5
Petroleum distillates, hydrotreated light naphthenic (<3% DMSO extractable)	64742-53-6
Solvent naphtha (petroleum), medium aliphatic	64742-88-7
Sodium sulfonate	68608-26-4
Propane	74-98-6
Petroleum distillate	8052-41-3

4. FIRST AID MEASURES

General Advice  
 Eye Contact  
 Skin Contact  
 Inhalation  
 Ingestion  
 Notes to Physician

Avoid breathing vapors, mist, or gas. Avoid contact with skin, eyes and clothing.  
 Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists  
 Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.  
 If inhaled, remove to fresh air. Get medical attention if symptoms occur  
 Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.  
 Aspiration hazard if swallowed - can enter lungs and cause damage.

5. FIRE-FIGHTING MEASURES

Flash Point > 69 °F / > 21 °C  
 Autoignition Temperature No information available.  
 Flammability Limits in Air % Solvent mixture.  
 Suitable Extinguishing Media  
 Water spray, Carbon dioxide (CO2), Foam, Dry chemical  
 Specific hazards arising from the chemical  
 Solvent vapors are heavier than air and may spread along floors. Vapors may ignite and explode. Flame extension: >24 inches / >61 cm and Burnback: >3 inches / >7.5 cm. Material can create slippery conditions.  
 Protective Equipment and Precautions for Firefighters  
 As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.  
 Aerosol Level (NFPA 30B) - 3  
 NFPA Health 2 Flammability 4 Instability 0

Method Seta closed cup  
 Upper 11.5 Lower 0.5

HMIS

Health 2

Flammability 4

Instability 0

**6. ACCIDENTAL RELEASE MEASURES**

<b>Personal Precautions</b>	Use personal protective equipment. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
<b>Environmental Precautions</b>	Do not flush into surface water or sanitary sewer system.
<b>Methods for Containment</b>	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
<b>Methods for Cleaning Up</b>	Use clean non-sparking tools to collect absorbed material. Pick up and transfer to properly labeled containers.
<b>Neutralizing Agent</b>	Not applicable.

**7. HANDLING AND STORAGE**

<b>Handling</b>	Keep away from heat and sources of ignition. Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing.			
<b>Storage</b>	Keep away from open flames, hot surfaces and sources of ignition.			
<b>Storage Temperature</b>	<b>Minimum</b>	35 °F / 2 °C	<b>Maximum</b>	120 °F / 49 °C
<b>Storage Conditions</b>	<b>Indoor</b>	X	<b>Outdoor</b>	
			<b>Heated</b>	
				<b>Refrigerated</b>

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH
Butane	1000 ppm TWA (listed under Aliphatic hydrocarbon gases: Alkane C1-4); 1000 ppm TWA	No data available	: 800 ppm TWA; 1900 mg/m <sup>3</sup> TWA
Ethyl acetate	: 400 ppm TWA	: 400 ppm TWA; 1400 mg/m <sup>3</sup> TWA	2000 ppm IDLH (10% LEL); 400 ppm TWA; 1400 mg/m <sup>3</sup> TWA
Petroleum distillates, hydrotreated light	5 mg/m <sup>3</sup> as oil mist	10 mg/m <sup>3</sup> as oil mist	No data available
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	TWA: 5 mg/m <sup>3</sup> ; STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 2,500 mg/m <sup>3</sup> ; STEL 10 mg/m <sup>3</sup> ; TWA: 5 mg/m <sup>3</sup>
Petroleum distillates, hydrotreated light naphthenic (<3% DMSO extractable)	5 mg/m <sup>3</sup> as oil mist	10 mg/m <sup>3</sup> as oil mist	No data available
Solvent naphtha (petroleum), medium aliphatic	No data available	No data available	No data available
Sodium sulfonate	No data available	No data available	No data available
Propane	1000 ppm TWA (listed under Aliphatic hydrocarbon gases: Alkane C1-4); 1000 ppm TWA	1000 ppm TWA; 1800 mg/m <sup>3</sup> TWA	2100 ppm IDLH (10% LEL); 1000 ppm TWA; 1800 mg/m <sup>3</sup> TWA
Petroleum distillate	: 100 ppm TWA	: 500 ppm TWA; 2900 mg/m <sup>3</sup> TWA	: 20000 mg/m <sup>3</sup> IDLH; 350 mg/m <sup>3</sup> TWA; 1800 mg/m <sup>3</sup> Ceiling (15 min)

<b>Engineering Measures</b>	Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined areas.
<b>Personal Protective Equipment</b>	
<b>Eye/Face Protection</b>	Safety glasses with side-shields.
<b>Skin Protection</b>	Wear suitable protective clothing. Impervious gloves.
<b>Respiratory Protection</b>	In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
<b>General Hygiene Considerations</b>	Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State</b>	Liquid	<b>Viscosity</b>	Non viscous
<b>Color</b>	Amber - Dark amber	<b>Odor</b>	Petroleum distillates
<b>Appearance</b>	Transparent	<b>pH</b>	Not applicable
<b>Specific Gravity</b>	0.840	<b>Evaporation Rate</b>	24.5 (Butyl acetate=1)
<b>Percent Volatile (Volume)</b>	74.7	<b>VOC Content (%)</b>	71.1
<b>VOC Content (g/L)</b>	598	<b>Vapor Pressure</b>	1530 mmHg @ 70 °F
<b>Vapor Density</b>	1.7	<b>Solubility</b>	Negligible
<b>Boiling Point/Range</b>	> 160 °F / 71 °C		

**10. STABILITY AND REACTIVITY**

<b>Chemical Stability</b>	Stable. Hazardous polymerization does not occur.
<b>Conditions to Avoid</b>	Heat, flames, and sparks
<b>Incompatible Products</b>	Strong oxidizing agents, Strong acids, Strong bases, Amines, Nitric acid.
<b>Hazardous Decomposition Products</b>	Carbon oxides, Nitrogen oxides (NOx), Sulfur oxides, Sulfur compounds, Hydrogen sulfide and smoke, Aldehydes.
<b>Possibility of Hazardous Reactions</b>	None under normal processing

**11. TOXICOLOGICAL INFORMATION**

**Product Information** No information available.

**Component Information****Acute Toxicity**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Butane	no data available	no data available	658 mg/L (Rat) 4 h	no data available	no data available
Ethyl acetate	5620 mg/kg (Rat)	19000 mg/kg (Rabbit)	no data available	no data available	no data available

		20 mL/kg ( Rabbit )			
Petroleum distillates, hydrotreated light	5000 mg/kg ( Rat )	2000 mg/kg ( Rabbit )	5.2 mg/L ( Rat ) 4 h	no data available	no data available
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	5000 mg/kg ( Rat )	2000 mg/kg ( Rabbit )	2.18 mg/L ( Rat ) 4 h	no data available	no data available
Petroleum distillates, hydrotreated light naphthenic (<3% DMSO extractable)	5000 mg/kg ( Rat )	2000 mg/kg ( Rabbit )	2.18 mg/L ( Rat ) 4 h	no data available	no data available
Solvent naphtha (petroleum), medium aliphatic	5000 mg/kg ( Rat )	3000 mg/kg ( Rabbit )	5.28 mg/L ( Rat ) 4 h	no data available	no data available
Sodium sulfonate	no data available	no data available	no data available	no data available	no data available
Propane	no data available	-	658 mg/L ( Rat ) 4 h	no data available	no data available
Petroleum distillate	500	no data available	no data available	no data available	no data available

**Chronic Toxicity**

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Butane	no data available	no data available	no data available	no data available	CNS
Ethyl acetate	no data available	no data available	no data available	no data available	eyes, respiratory system, skin
Petroleum distillates, hydrotreated light	no data available	no data available	no data available	no data available	CNS, cardiovascular system, respiratory system, liver, kidney
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	respiratory system
Petroleum distillates, hydrotreated light naphthenic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	CNS
Solvent naphtha (petroleum), medium aliphatic	no data available	no data available	no data available	no data available	CNS, liver, kidneys
Sodium sulfonate	no data available	no data available	no data available	no data available	no data available
Propane	no data available	no data available	no data available	no data available	CNS
Petroleum distillate	no data available	no data available	no data available	no data available	eyes, CNS, respiratory system, skin, kidneys

**Carcinogenicity**

There are no known carcinogenic chemicals in this product.

Component	ACGIH	IARC	NTP	OSHA	Other
Butane	not applicable	not applicable	not applicable	not applicable	not applicable
Ethyl acetate	not applicable	not applicable	not applicable	not applicable	not applicable
Petroleum distillates, hydrotreated light	not applicable	not applicable	not applicable	not applicable	not applicable
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	not applicable	not applicable	not applicable	not applicable	not applicable
Petroleum distillates, hydrotreated light naphthenic (<3% DMSO extractable)	not applicable	not applicable	not applicable	not applicable	not applicable
Solvent naphtha (petroleum), medium aliphatic	not applicable	not applicable	not applicable	not applicable	not applicable
Sodium sulfonate	not applicable	not applicable	not applicable	not applicable	not applicable
Propane	not applicable	not applicable	not applicable	not applicable	not applicable
Petroleum distillate	not applicable	not applicable	not applicable	not applicable	not applicable

**12. ECOLOGICAL INFORMATION**

**Product Information**

No information available.

**Component Information**

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Butane	no data available	no data available	no data available	no data available	2.89
Ethyl acetate	EC50 = 3300 mg/L Desmodesmus subspicatus 48 h	LC50 220-250 mg/L Pimephales promelas 96 h LC50 352-500 mg/L Oncorhynchus mykiss 96 h LC50 = 484 mg/L Oncorhynchus mykiss 96 h	EC50 = 1180 mg/L 5 min EC50 = 1500 mg/L 15 min EC50 = 6870 mg/L 15 min EC50 = 7400 mg/L 2 h	= 560 mg/L 48 h	0.6
Petroleum distillates, hydrotreated light	no data available	LC50 = 2.2 mg/L Legomias macrochirus 96 h LC50 = 2.4 mg/L Oncorhynchus mykiss 96 h LC50 = 45 mg/L Pimephales promelas 96 h	no data available	= 4720 mg/L 96 h	N/A
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	> 1000 mg/L 48 h	N/A
Petroleum distillates, hydrotreated light naphthenic (<3% DMSO extractable)	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	> 1000 mg/L 48 h	N/A
Solvent naphtha (petroleum), medium aliphatic	EC50 = 450 mg/L Pseudokirchnerella subcapitata 96 h	LC50 = 800 mg/L Pimephales promelas 96 h	no data available	> 100 mg/L 48 h	N/A
Sodium sulfonate	no data available	no data available	no data available	no data available	N/A
Propane	no data available	no data available	no data available	no data available	2.6
Petroleum distillate	no data available	no data available	no data available	no data available	N/A

**Persistence and Degradability**

No information available.

**Bioaccumulation**

No information available.

**Mobility**

No information available.

**13. DISPOSAL CONSIDERATIONS**

**Product Disposal**

Dispose of in accordance with local regulations.

**Container Disposal**

Contents under pressure. Do not puncture. Empty remaining contents. Empty containers should be taken for local recycling, recovery, or waste disposal. Do not re-use empty containers.

**14. TRANSPORT INFORMATION**

**DOT**

Proper Shipping Name  
Hazard Class  
Description

Consumer Commodity  
ORM-D  
Consumer Commodity, ORM-D

**TDG**

Proper shipping name	Consumer Commodity
Hazard Class	ORM-D
UN-No	UN1950
Description	Consumer Commodity, ORM-D

## ICAO

UN-No	UN1950
Proper Shipping Name	Aerosols, flammable
Hazard Class	2.1
Shipping Description	UN1950, Aerosols, flammable, 2.1, LTD QTY

## IATA

UN-No	UN1950
Proper Shipping Name	Aerosols, flammable
Hazard Class	2.1
ERG Code	126
Shipping Description	UN1950, Aerosols, flammable, 2.1, LTD QTY

## IMDG/IMO

Proper Shipping Name	Aerosols, flammable
Hazard Class	2.1
UN-No	UN1950
EmS No.	F-A, S-A
Shipping Description	UN1950, Aerosols, flammable, 2.1, LTD QTY

## 15. REGULATORY INFORMATION

## Inventories

TSCA	Complies
DSL	Complies

## U.S. Federal Regulations

SARA 313  
Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	Yes	Yes	Yes	No

## CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Bulane	Not applicable	Not applicable
Ethyl acetate	Not applicable	Not applicable
Petroleum distillates, hydrotreated light	Not applicable	Not applicable
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	Not applicable	Not applicable
Petroleum distillates, hydrotreated light naphthenic (<3% DMSO extractable)	Not applicable	Not applicable
Solvent naphtha (petroleum), medium aliphatic	Not applicable	Not applicable
Sodium sulfonate	Not applicable	Not applicable
Propane	Not applicable	Not applicable
Petroleum distillate	Not applicable	Not applicable

## Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## WHMIS Hazard Class

A Compressed gases, B2 Flammable liquid, D2B Toxic materials



## 16. OTHER INFORMATION

Prepared By	Dan Hollas
Supersedes Date	04/08/2010
Issuing Date	01/13/2011
Reason for Revision	No information available.
Glossary	No information available
List of References.	No information available

CHEMSEARCH DIV. OF NCH CORP.

assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this MSDS is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.