

MATERIAL SAFETY DATA SHEET

1 OF 2

Section I: IDENTIFICATION

Product Name: **QuickLink III, Solution II
Neat Stain Hematology**

Date Prepared: 02/15/02 *Date Revised*:* 11/02/06
Item Number(s): 400150, 400160, 400180,
400181, 400220
Emergency Phone, Infotrac: 800-535-5053

Section II: HAZARDOUS INGREDIENTS

<i>Non-Hazardous Component(s):</i>	<i>CAS Number</i>	<i>OHSA PEL, ACGIH TLV/STEL</i>	<i>NFPA</i>	
Methylene Blue	7220-79-3	NA	Health	0
Potassium Phosphate	7778-77-0	NA	Flammability	0
Sodium Phosphate	10049-21-0	NA	Reactivity	0

Section III: PHYSICAL DATA

Boiling Point: 212°F *Specific Gravity (H₂O = 1):* ~1
Vapor Pressure mm Hg/20 °C: NE *Percent Volatile by Vol:* NA
Vapor Density (Air 1:1): NE *Evaporation Rate (ether = 1):* >1
Solubility in H₂O: Complete *Appearance & Odor:* Blue liquid/odorless

Section IV: FIRE/EXPLOSION HAZARD

Flash Point: Non-Flammable *Flammable Limits:* LEL: NA UEL: NA
Extinguishing Media: Water spray, dry chemical, CO₂ and foam
Special Fire Fighting Procedures: Wear protective clothing with NIOSH approved breathing apparatus.
Products of combustion may be harmful in a fire situation. Do not use direct water stream.
Unusual Fire & Explosion Hazards: None

Section V: REACTIVITY

Stability: Stable *Material to Avoid:* None
Hazardous Decomposition or Byproducts: Oxides of carbon and possible chlorine fumes
Hazardous Polymerization: Does not occur *Conditions to Avoid:* Normal Laboratory Care

Section VI: HEALTH HAZARDS

Routes of Entry: Inhalation, Skin and Ingestion
Acute/Chronic: Product is not expected to cause health hazards when utilizing good laboratory practices.
Carcinogenicity: Not classified as a human carcinogen.
Signs/Symptoms of Exposure: Vision blurring, drowsiness and headache.

MATERIAL SAFETY DATA SHEET

QuickLink III, Soln II, 2 OF 2

Section VI: HEALTH HAZARDS

Emergency First Aid:

Skin: Remove contaminated clothing. Wash affected area with soap and water.

Eyes: Thoroughly flush eyes with water. Contact a physician if irritation persist.

Ingestion: Rinse mouth with water, provided person is conscious and contact a physician.

Inhalation: Remove person to fresh air. If not breathing, give artificial respiration and contact physician.

Section VII: SAFE HANDLING

Chemical Release or Spill: Isolate the spill area with sand, or other absorbent material. Place all contaminated material in a closed container for disposal.

Waste Disposal Method: All liquid and or contaminated material should be disposed of in DOT approved waste containers. Comply with all Federal, State and Local regulations for disposal.

Precautions for Handling and Storing: Normal Laboratory Care

Section VIII: CONTROL MEASURES

Respiratory Protection: Not normally required.

Ventilation: Mechanical exhaust is sufficient

Protective Gloves: Chemical resistant *Eye Protection:* Safety Glasses

Other Protective Clothing or Equipment: Normal laboratory apparel suggested by Good Laboratory Practices

Work/Hygienic Practices: Wash thoroughly with soap and water after handling.

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. HealthLink shall not be held liable for any damage resulting from handling or contact with this product.

*Change due to customer request. No substantial changes since prepared date.

HealthLink
3611 St. Johns Bluff Road, Suite 1, Jacksonville, FL 32224
904-996-7758